


Roto DoorPlus

Profile cylinders



Standard profile cylinders Keyed differently (KD)




Product description:

- 6 pin system with 240,000 combinations
- Cylinder in accordance with EN1303 (locking security, Grade 5)
- Supplied with 3 keys
- Large headed key for ease of use
- M5 x 60mm fitting screw enclosed
- Packaging units: Inner box 24

The required length of the cylinder depends on the door thickness, the position of the lock and the depth of the handle back plate.

Nickel		Brass	
Size X / Y (mm)	Part Number	Size X / Y (mm)	Part Number
35 / 35	349 572	35 / 35	349 621
35 / 40	349 573	35 / 40	349 622
35 / 45	349 574	35 / 45	349 623
35 / 50	349 605	35 / 50	349 624
40 / 40	349 607	40 / 40	349 626
40 / 45	349 608	40 / 45	349 627
40 / 50	349 609	40 / 50	349 628
40 / 55	349 610	40 / 55	349 629
45 / 45	349 611	45 / 45	349 630
45 / 50	349 612	45 / 50	349 631
45 / 55	349 613	45 / 55	349 632
50 / 50	349 614	50 / 50	349 633
Cylinder key blank		349 755	



Standard profile cylinders

Keyed alike (KA)




Product description:

- A single unit contains 2 cylinders and 6 keys, all of which are identical
- 6 pin system with 240,000 combinations
- Cylinder in accordance with EN1303 (locking security, Grade 5)
- Supplied with 3 keys
- Large headed key for ease of use
- M5 x 60mm fitting screw enclosed
- Packaging units: Inner box 12

The required length of the cylinder depends on the door thickness, the position of the lock and the depth of the handle back plate.

Nickel		Brass	
Size X / Y (mm)	Part Number	Size X / Y (mm)	Part Number
35 / 45	378 914		
40 / 40	378 913		
40 / 45	378 945		
40 / 50	378 947	40 / 50	450 568
40 / 55	378 840	40 / 55	382 920
45 / 45	378 946	45 / 45	450 566
45 / 50	378 948	45 / 50	450 567
45 / 55	378 949	45 / 55	457 462
Cylinder key blank			349 755





Roto Roof Windows and Hardware Ltd.

Swift Point
Rugby CV21 1QH
United Kingdom
Telephone +44 (0)1788 55 86 00
Facsimile +44 (0)1788 55 86 05
info.west@roto-frank.com
www.roto-frank.co.uk

**Roto Frank S.A.
Roto Frank Nederland**

Rue du Bosquet 1
Zoning Industriel II
1400 Nivelles
Belgique
Téléphone +32 (0)67 89 41 40
Téléfax +32 (0)67 84 14 56
info.west@roto-frank.com
www.roto-frank.com

**Roto Frank AG
Fenster- und Türtechnologie**

Stuttgarter Straße 145 – 149
D-70771 Leinfelden-Echterdingen
Telefon +49 711 7598-0
Telefax +49 711 7598-253
info@roto-frank.com
www.roto-frank.com



Interested in additional products?

Do not hesitate to ask for further information

Telephone number:
+44 (0)17 88 55 86 00